



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

IV. Is a view of the base extremity, which is round like a hemisphere, shewing the two holes, one at the end of each great valve, just where the processes of their smooth portions, and the edge of the round piece, meet.

The apices of some of these conoïde Pholades are a little curved; but that of this subject described is strait.

We must also observe that, besides these, there were great numbers of *Coff*, or worms, in the bottom of the Spanish ship; the vestige of one or two of them, if visible in this piece of wood, and the channels they make, which are in all directions, are lined with a thin white incrustation, and are of equal dimensions all along.

II. *An Account of the Case of a young Lady who drank Sea Water for an Inflammation and Tumour in the Upper Lip. Communicated by Dr. Lavington of Tavistock, in Devon, to John Huxham, M. D. and F. R. S.*

Read Jan. 17,
1765.

A Young lady of Launceston, aged about sixteen, very tall of her age, and of a thin delicate constitution, very weak and sickly when a child, enjoyed for some years past a tolerable state of health. However being incommoded

moded now and then with an inflammation and swelling of the upper lip, which was thought strumous, was advised to drink sea water, which she accordingly did every morning, to the quantity of a pint, for ten days successively; during which she was as well as usual, till on a sudden she was seized with a profuse discharge of the catamenia. This continued so immoderate and alarming that Dr. Lavington was consulted. Upon inquiry, he found not only that the uterine flux was excessive, but also that she was perpetually spitting blood from the gums; and likewise had innumerable petechial spots on her neck and breast; and withall a great many large livid spots on her arms and legs. Her pulse was very quick, though pretty full; her face exceedingly pale, and somewhat bloated; and her flesh in general was very soft and tender. She was often taken very faint, but soon recovered tolerable spirits.

The flux from the uterus at length abated, but that from the gums increased to such a degree, that her apothecary took a little blood from her arm. From the orifice blood ouzed continually for several days, notwithstanding many endeavours were used to staunch it. At last blood issued from her nose perpetually, attended with frequent faintings, in which she at length expired, choaked as it were with her own blood. But before she died, it was very remarkable, that her right arm was quite mortified from the elbow to the wrist: and it is to be further noted, that though blood, drawn from her some weeks before she began the use of the sea water for an inflammation in her lip, was found sufficiently dense, and in a pretty good state; yet that drawn off
in

in her last sickness was mere putrid dissolved gore.

To this account Dr. Lavington subjoined the following queries.

Whether or no, a scorbutic state of the animal juices may not be produced by salt water, as well as by salt provisions; especially if, as in the present case, it doth not pass off freely by the usual evacuations, which often happens when drank for a considerable time, and the body is accustomed to it?

Whether the thin tender delicate fibre is not a morbid disposition, somewhat different from the too viscid or too lax? and whether to such a constitution, attended with a loose texture of the blood, or a hectic habit, a salt water course may not be likely to increase the acrimony of the blood, rupture the vessels, and bring on a dangerous hæmorrhage? And whether, even to strumous patients thus circumstanced, the Cortex Peruvianus is not more adapted?

To which Dr. Huxham replied nearly as follows:
 " In many cases I have known very good effects
 " from a course of sea water, when drank in pretty
 " large quantities, and long continued; but it was
 " when it purged gently, and now and then puked
 " somewhat. With the thin, tender, and hectic, it
 " seldom agrees. The gross, heavy, and phlegmatic,
 " commonly bear it with advantage. I have
 " known it bring on colical pains, diarrhœa, dysentery,
 " and bloody stools, cough, hectic heats,
 " wasting of the flesh, and an hæmoptœ. It generally
 " renders the body liable to very great constipation,
 " after it hath been drank for a considerable time."

Sea salt is a kind of neutral salt, that will not pass off through the pores of the skin (except perhaps in an ammoniacal state some of it may). Its proper outlets are by stool and urine. It appears by experiments to be very little alterable by the powers of the animal œconomy. If so, when not duly discharged by these passages, in a course of drinking salt water, the marine salt must be greatly accumulated in the mass of blood, make it continually more and more acrimonious; and by the mutual attraction of its particles, when so abundant, run into *moleculæ* too large to pass the minutest vessels, occasion stag-nations; and by irritating these capillaries increase the *impetus a tergo*, and often bring on ruptures of those vessels, extravasations, blotches, spots; in a word, all the symptoms of the scurvy in the highest degree. Indeed it is very well known, that the most healthy sailors cannot long live in drinking mere salt water for common drink.